




### Water Loop 7'

RDS353-0





SS Footing Base



RDS399-0

The Rain Deck Stainless Steel Footing Base is the foundation of nearly all our commercial above ground features. This universal footing base allows every customer the versatility to interchange their features at any time. This makes Rain Deck splash pads expandable and affordable.




STAINLESS STEEL FOOTING BASE INSTALLATION





COMMERCIAL

## **Permanent Feature Footing Detail**





For features that do not use the RDS399 Footing Base, such as arches, loops and towers, Rain Deck provides the hardware and instructions for installation. Contact your Rain Deck representative at 1-888-445-RAIN for more information and assistance.






The Rain Deck Universal Housing is just that... universal. With the Rain Deck Nozzle Tool, customers can swap out one nozzle for another at any time. Rain Deck currently offers many different types of spray nozzles, including winterization caps and custom nozzle patterns.

So, whether you want to mix things up a bit for the kids, or need to winterize your splash pad at the end of the season, Rain Deck has specially designed their ground sprays to make it hassle free. Rain Deck offers ground spray jets in Delrin, PVC, aluminum, stainless steel, and brass. Ask a Rain Deck representative about the benefits of each type of material.







MFG #	NAME
RD100-0	RD NOZZLE TOOL
RD102-0	RD 3" UNIVERSAL HOUSING
RD103-0	RD 3" ADJUSTABLE NOZZLE
RD104-0	RD 3" SHOWER NOZZLE
RD105-0	RD 3" BUBBLER NOZZLE
RD106-0	RD 3" FAN NOZZLE
RD107-0	RD 3" BOX NOZZLE
RD108-0	RD 3" TRIANGLE NOZZLE
RD109-0	RD 3" BLANK WINTERIZATION NOZZLE
RD110-0	RD 3" TRIPLE SHOOTER NOZZLE
RD111-0	RD 3" CYLINDER NOZZLE
RD112-0	RD 3" TRIPLE FAN NOZZLE
RD113-0	RD 3" "X" FACTOR NOZZLE

#### **FLOW RATE**

N/A

N/A

#### 2 GPM @ 5 PSI (8' spray height)

5 GPM @ 3 PSI (4' spray height) 10.5 GPM @ 5 PSI (18" spray height) 3.5 GPM @ 5 PSI (3' spray height) 10 GPM @ 5 PSI (5' spray height) 6.5 GPM @ 5 PSI (5' spray height) N/A 5 GPM @ 5 PSI (5' spray height)

7.5 GPM @ 5 PSI (5' spray height) 10 GPM @ 5 PSI (5' spray height) 10 GPM @ 3 PSI (5' spray height)



### **GROUND SPRAY ELEMENTS**


### **Formed Ground Sprays**

Rain Deck Formed Ground Sprays are a great addition to any Splash Pad, creating fun and attractive patterns of water for you to enjoy. As with all of our ground sprays, the nozzles are interchangeable to control flow and desired spray pattern. You can also custom order any number of nozzles in our ground spray systems.





MFG #	NAME	FLOW RATE
RD129-0	RAIN DECK 8-NOZZLE RING OF WATER	16-40 GPM @ 5 PSI
RD130-0	RAIN DECK 12-NOZZLE RING OF WATER	24-60 GPM @ 5 PSI
RD131-0	RAIN DECK 8-NOZZLE LINE JET	16-40 GPM @ 5 PSI
RD132-0	RAIN DECK 10-NOZZLE RAIN TUNNEL	20-50GPM @ 5 PSI
RD133-0	RAIN DECK 8-NOZZLE SIDEWINDER	16-40 GPM @ 5 PSI





# **Control Systems & Activators**

Rain Deck knows that every splash pad is unique. Operation hours, recirculation pump settings, spray jets/ features programming, water chemistry, etc. are some of the important electrical components to a splash pad. Rain Deck also understands that this is not "rocket science" we are dealing with. Rain Deck's control systems are extremely affordable, and also enable the splash pad installer and end user to fine-tune each aspect of the splash pad with ease.









- RD500-0 RAIN DECK MULTI PROGRAM ELECTRONIC CONTROLLER
- RD502-0 RAIN DECK 8 SOLENOID CONTROLLER MANIFOLD
- RD503-0 RAIN DECK 6 SOLENOID CONTROLLER MANIFOLD
- RD504-0 RAIN DECK 4 SOLENOID CONTROLLER MANIFOLD
- RD505-0 RAIN DECK SINGLE PROGRAM ELECTRONIC CONTROLLER
- RD550-0 RAIN DECK SOF-TOUCH ACTIVATOR W/ FOOTING BASE POST MOUNTED
- RD550-1 RAIN DECK SOF-TOUCH ELECTRONIC TIMER BOX
- RD555-0 RAIN DECK SOF-TOUCH GROUND SENSOR
- RDS550-0 SS SOF-TOUCH ACTIVATOR POST W/ FOOTING BASE
- RDS550-1 SS SOF-TOUCH CURVED ACTIVATOR POST W/ FOOTING BASE
- RDS555-0 SS SOF-TOUCH GROUND SENSOR



